

**Reference  
Mark ID  
Number**

**Description**


---

- 88 ±3 miles southeast of downtown Boise. From the intersection of Apple, go east southeast on Boise Avenue for 1.0 mile to the station on the right at No. 2233 Boise Avenue. The station is a rebar and Towill 1 1/2 inch aluminum cap, stamped 88 and set flush. The station is located opposite a small circular driveway in the center of a bike lane. It is 10.0 feet northeast of the southwest curb. 12.2 feet east of the center of a storm manhole. 59.0 feet southeast of the mailbox for house No. 2233.
- 101 ±1 mile north of Barber Dam and ±5 miles southeast of downtown Boise. From South Eckert Road and Warm Springs Road, take the bike path built on an old railroad bed, northwesterly from South Eckert Road, paralleling and south of Warm Springs Road, for 0.20 mile to the station located in the center of the bike path. It is approximately 100 feet easterly of a wood bridge and ±110 feet southeast of bench mark Z141. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 101, set 0.05 below pavement.
- 102 ±1 mile northwest of Barber Dam and ±4 miles southeast of downtown Boise. From the intersection of Warm Springs Avenue (SR 21) and Eckert Road, go northwest along Warm Springs Avenue for 0.75 mile to South Wise Way on the left (southwest). Go 0.15 mile southwest along South Wise Way to a gate and end of pavement. Continue southwest for 0.1 mile to dirt piles, go left (southeast) around dirt piles, then continue southwest for 0.2 mile to the station on the left, past a large open area. The station is a 3 foot rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 102, set flush. The station is located in a wetlands area inside of the Harris property and lumber company. It is 30 feet northeast of a white sign, Do Not Disturb Wetlands Area, on northerly bank of Boise River.

Reference  
Mark ID  
Number

Description

- 105 Southeast of downtown Boise. From Warm Springs Avenue go northerly on North Penitentiary Drive to the first street on the left. The station is located approximately 100 feet northwest of North Penitentiary Drive. It is 90.0 feet southeast of a light pole and 73.8 feet westerly of another light pole. The station is a rebar with 1 1/2 inch Towill cap stamped, Towill, Inc. Concord CA, 105, set flush.
- 111 In downtown Boise. The station is located on the north side of Sherman Street, west of Alley and 132 feet east of North 20th Street. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 111, set flush. It is 24.6 feet northwest of telephone pole No. BOIS 017 F46 25K, 26.1 feet southwest of a fence corner to house No. 901, North 19th Street. It is 20.6 feet north of the south curb, 8.5 feet south of the north curb and 18.6 feet southwest of the fence corner belonging to house No. 902, North 20th Street.



**Reference  
Mark ID  
Number**

**Description**


---

- 114 In northwest Boise. From the intersection of Taft Street and North 39th Street, go north along North 39th Street for 0.1 mile to the station on the right, between house No. 3209 and No. 3203. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 114, set flush. The station is located on the east side of North 39th Street. It is 5.9 feet west of the east edge of the pavement, 28.9 feet northeast of a fence corner, 37.0 feet southeast of a rock sign that says, Brooks, in front of house no. 3209.
- 116 In Boise. The station is a rebar with a 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 116", set flush, located on the north side of Mountain View. It is 450 feet southeast of West 44th Street, 22.1 feet south of power pole No. 3014, 0.9 foot northeast of edge of pavement stripe, 9.3 feet southwest and opposite stop light sign, across the street from house No. 3013, 17.5 feet east of manhole in the street.

Reference  
Mark ID  
Number

Description


119 In northwest Boise. From the intersection of Highway 44 (Glenwood Road) and State Street, go southeast along State Street for 1.4 mile to Plantation River Drive. Turn right, go south on Plantation River Drive for 0.1 mile to Plantation Lane. Turn right, go northwest along Plantation Lane for 0.4 mile to Charleston Place. Turn right, go north on Charleston Place for 0.15 mile to the station in the center of a cul-de-sac. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 119, set flush. Located in the centerline of Charleston Place. It is 54.8 feet southwest of a fire hydrant. 44.5 feet south of a sewer manhole. 52.9 feet southeast of an above ground communications box.



Reference  
Mark ID  
Number

Description


- 122 In northwest Boise. From Highway 44, go west on Marigold for 0.30 mile to Strawberry Glenn Road. Go north on Strawberry Glenn Road for 0.10 mile to the station in the centerline of the road. The station is a rebar and 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord, CA, 122, set flush. It is 34.5 feet northwest of a fire hydrant and 54.6 feet northeast of a power pole.



Reference  
Mark ID  
Number

Description


- 123 In west Boise. From the intersection of Chinden Blvd. (Highway 20) and Glenwood Street (Highway 44), go south along Glenwood for 0.3 mile to West Crestwood Drive. Go northwest (right) along West Crestwood Drive for 0.6 mile to North Sorrento Drive. Go south (left) on North Sorrento Drive for 0.05 mile to North Brynwood Drive, go northwest (right) along North Brynwood Drive for 0.07 mile to the station on the right (north), at the south end of a stub street. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 123, set flush. Located on the northerly side of Brynwood Drive at a cul-de-sac. It is 54.1 feet northeast of street light No. 19180A. 31.3 feet northeast of a sewer manhole. 19.5 feet northwest of a water valve near house No. 8631, No. 8621, and No. 8610.



Reference  
Mark ID  
Number

Description


- 125 In Boise,  $\pm 2$  miles east of Eagle. From the intersection of Highway 44 and Horseshoe Bend Road, go south on Horseshoe Bend Road for  $\pm 800$  feet across Dry Creek canal. Take first left, approximately 50 feet south of the canal. The station is a rebar and 1 1/2 inch Towill aluminum cap, stamped, Towill, Inc. Concord CA, 125, set flush. The station is located on the north side of the road. It is 53.0 feet southeast of the end of the fence line and 5.0 feet south of the fence line.



Reference  
Mark ID  
Number

Description


- 126 ±3 miles southeast of Eagle. From Highway 20 and Joplin Road, go northwest on Joplin Road to the entrance of Mike's Sand and Gravel. The station is located on the west side of the road in a gravel pullout area. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 126, set 0.05 foot below ground. It is 14.5 feet northeast of a fence corner and 73 feet southwest of a power pole.



Reference  
Mark ID  
Number

Description


127 In west Boise,  $\pm 3$  miles south-southeast of Eagle. From the intersection of Chinden Road (Highway 20) and North Cloverdale, go south for 0.4 mile on North Cloverdale to Savage Drive on left (east), turn left and go 0.4 mile to the station in the center of the cul-de-sac. The station is a 1 1/8 inch brass disk stamped, Towill, Inc. Concord CA, 127, set flush. Located in the center of Savage Drive in the concrete around the cover of a sewer manhole. It is 45.3 feet south of a street light, 40.3 feet north of an above ground telephone box. 33.3 feet northwest of the mailbox to house No. 11825 and 1.75 feet southwest of the center of a sewer manhole.



Reference  
Mark ID  
Number

Description


128 ±1 mile east-southeast of Eagle. From the intersection of Highway 44 and Highway 55 (Eagle Road), go southeast for 1.0 mile to State Street/Riverside Street and Highway 44. Continue southeast on Highway 44 for 0.3 mile to an unnamed road on the right (south). Go south on the unnamed road for 0.1 mile to the station on the right (west), at the second turn off road under construction. The station is a 1 1/8 inch brass disk stamped, Towill, Inc. Concord CA, 128, set flush. Located in the concrete gutter on the west side of the road. It is 51.6 feet northwest of a STOP sign at end of road barrier. 44.5 feet northeast of road barrier.



Reference  
Mark ID  
Number

Description

- 129 In Eagle. From the intersection of Ranch Drive and Eagle Road, go east on Ranch Road for 0.3 mile to North Dogwood Place and the station in the center of the intersection. The station is a rebar and 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 129, set flush. It is 21.0 feet west of a sewer manhole and 40.8 feet south-east of a street sign.



**Reference  
Mark ID  
Number**

**Description**


---

- 131      ±1.5 miles south of Eagle. From the intersection of Chinden Road (Highway 20) and Eagle Road (Highway 55), go north along Eagle Road for 0.8 mile to the station on the right (east), in the bridge over the Boise River. The station is a 1 1/8 inch brass disk stamped, Towill, Inc. Concord CA, 131, set flush in the bridge deck. Located on the southeast side of Boise River bridge, on the east side of Eagle Road (Highway 55). It is 191.9 feet northwest of mailbox 2260. 53 feet west of a telephone pole. 7.9 feet east of white pavement stripe. 2.5 feet west of K-rail. 0.88 feet north of the edge of the pavement/concrete on the southeast corner of concrete apron.
- 132      ±2 miles south of Eagle. The station is in the east curb of Highway 55 (Eagle Road,) ±400 feet north of Highway 20. The station is a Towill 1 1/8 inch brass disk, stamped 132, set flush. It is 371 feet north of the traffic light support pole in the northeast triangular median of Highway 20. 36.5 feet south of power pole number LCST/042/TX47/X46. 5.4 feet north of the north curb return on the first driveway north of Highway 20.
- 133      From North Eagle Road in Eagle, go west on North Floating Feather Road for 0.5 mile to Amlico. Turn left and go south for 0.11 mile to Arlington. Turn right on Steeple View and follow road west, south and east for 0.37 mile to house No. 966 and the station in the center-line of the road. The station is a rebar with a 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 133, set flush. The station is located 13.4 feet south-southwest from the southwest corner of the driveway. It is 40.3 feet northeast of mailbox No. 966. 14.1 feet north of northwest corner of the driveway for house No. 965 and 11.0 feet south of the north edge of the pavement.

Reference  
Mark ID  
Number

Description


- 134 In Eagle. From the junction of Highway 55 and Highway 44, go westerly for 0.75 mile to a concrete bridge and the station on the right. The station is a rebar and 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 134, set flush. Located on the north side of the road, approximately 100 feet east of the bridge. It is 26.6 feet southwest of the end of the K-Rail.



Reference  
Mark ID  
Number

Description


- 135 ±1 mile southwest of Eagle. From Highway 55 and Mace Road, go west on Mace Road for 1.10 mile to a private driveway on the left side of the road. Go south on the driveway for approximately 1200 feet to the station located in the center of the road. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 135, set flush.



Reference  
Mark ID  
Number

Description


- 136 ± 4 miles north of Meridian and ±2 miles south of Eagle. From the intersection of Highway 55 and Highway 20, go west on Highway 20 for 1 mile to North Locust Grove Road. Turn right and go north for 0.40 mile to the station in the center of the road. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 136. It is 23.5 feet northwest of a rock fence post and 30.0 feet east of barbed wire fence.



Reference  
Mark ID  
Number

Description


137 ±2 miles west-southwest of Eagle. From the intersection of State Street (Highway 44) and Eagle Road (Highway 55), go south on Eagle Road (Highway 55) for 0.4 mile to West Mace Road on the right. Go west on West Mace Road for 1.6 mile to a Y-intersection, where Mace Road turns to dirt. Continue west on West Mace Road, through the entrance gate to Idaho State Park, for 0.2 mile to the station on the left (south) and a T-intersection. The station is a 3-foot rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 137, set flush. Located at the extension of Mace Road within the Idaho State Park boundary. It is northeast 16° true, 256 feet from a telephone pole, southwest 3° true, 53.2 feet from an above ground telephone box. Southeast 61° true, 78.4 feet from a telephone pole, 51.0 feet southeast of the west end of a fence running east-west. 40.8 feet southeast of the north end of a fence running north-south. 4 feet south of the edge of the dirt road that is curved and south of Mace Road and 62 feet southeast of the T-intersection.



Reference  
Mark ID  
Number

Description


- 138 ±3 miles west of Eagle. From the intersection of North Park Street and Floating Feather, go east on Floating Feather for 0.20 mile to the station on the south side of the road. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 138, set 0.10 foot below pavement. The station is located on the south edge of the road on the fog line. It is 14.0 feet north of an irrigation canal.



Reference  
Mark ID  
Number

Description

- 139 ±3 miles west of Eagle. From the intersection of State Street (Highway 44) and Old Valley Road, go southwesterly for 300 feet to the station on the left (southeast). The station is a Towill 1 1/8 inch brass disk stamped 139, set flush. The station is located 39.5 feet southeast of southwest end of a guard rail. It is 29.5 feet northeast of a street sign, Frost Lane Private. 10.9 feet northwest of the end of a fence. 0.3 feet northwest and 0.3 feet southwest of the southeast corner of a culvert.




- 140 In Eagle. From South Linder Road, go east on Hatchery Road for 0.5 mile to Trout Road. Turn right and go 0.22 mile to the station in the centerline of the road. The station is a rebar with a 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 140, set flush. The station is located 22.3 feet west of, and on the projection of, an east-west fence line. It is 19.6 feet east of telephone pedestal No. 1425, 110.3 feet north of a power pole, 127.9 feet south of a power pole with transformer, and 215 feet south of a driveway.

Reference  
Mark ID  
Number

Description

- 142 ±3 miles west of Eagle and ±3 miles east-northeast of Star. From Floating Feather and Lanewood Road, go north on Lanewood Road for ±500 feet to the station located in the center of road. The station is a rebar with 1 1/2 inch aluminum cap stamped, Towill, Inc. Concord CA, 142, set 0.05 foot below pavement. It is 68.8 feet northeast of a sign, STOP SIGN AHEAD. 26.1 feet east of a barbed wire fence.




- 143 ±3 miles northeast of Star. From the intersection of State Street (Highway 44) and Emmett Road (Highway 16), go east for 4000 feet to Palmer Lane, go north on Palmer Lane for 1.4 mile to the station in the centerline. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 143, set flush. The station is located ±331 feet north of West Floating Feather Road. It is 27.1 feet east of a fence and 20.1 feet west of a telephone pole.

Reference  
Mark ID  
Number

Description


- 144 ±3 miles northeast of Star. From the intersection of State Street (Highway 44) and Emmett Road (Highway 16), go east for 4000 feet to Palmer Lane. Go north on Palmer Lane for 1.1 mile to the station on the left (west). The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 144, set flush. Located on the west side of Palmer Lane. It is 82.2 feet northwest of a sign, Floating Feather Drive. 67.0 feet southeast of mailbox No. 1707. 32.2 feet northeast of a concrete V-ditch. 17.9 feet west of the centerline of Palmer Lane.



Reference  
Mark ID  
Number

Description

- 145 ±3 miles east of Star. From Palmer Lane go east on Highway 44 for ±1400 feet to the station on the right. The station is a rebar with a 2 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 145, set flush. The station is located on the south side of the highway, across from house No. 6880. It is 43.1 feet northeast of a steel gate post and 45 feet northwest of another steel gatepost.




- 146      3 miles east-southeast of Star. From South Linder Road, go west on West Duck Alley Road for 1.15 mile to the end of the road at a circular driveway. Turn right and go north, passing through a wood gate, for 0.18 mile to a wire fence gate at the river. Pass through gate and continue west along the river for 0.18 mile to the end of the fence and a bridge over ditch on the south side of the road. Turn left over bridge and go 220° true, 450 feet from bridge over canal ditch to the station at the corner of a fence. 13.4 feet north of a 12 inch diameter wood corner post and 8 foot high hog wire fence enclosure. There is a small pond inside the fence. The station is a rebar with a 2 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 146, set flush. The station is located on the projection of the north-south fence line. It is 440 feet south of the road along the river. 155° true, 427 feet from a four board, two post, wood section of the fence along the road. 308° true from the farm house at the circular driveway.

Reference  
Mark ID  
Number

Description


- 147 ±5 miles northwest of Meridian. From Highway 20 and North Basco Lane, go north on North Basco Lane for ±0.5 mile to a bridge that crosses canal. Take dirt road north of bridge. Go easterly for ±1300 feet to the station on the north side of the road, approximately 18 feet north of the north edge of canal. The station is a rebar with Towill 2 1/2 inch aluminum cap stamped, Towill, Inc. Concord CA, 147, set flush.



Reference  
Mark ID  
Number

Description


148 ±2 miles northeast of Star. From the intersection of State Street (Highway 44) and Emmett Road (Highway 16), go north for 1.05 mile along Emmett Road to the station on the right (east). The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 148, set flush. Located on the east side of Emmett Road (Highway 16). It is 63.0 feet north of Rostifarm Road, 38 feet northwest of telephone pole No. E AGL 013 RG 15 R. 14.5 feet east of the centerline of Emmett Road (Highway 16) and 3.1 feet west of the edge of the pavement.



Reference  
Mark ID  
Number

Description

- 149 ±2 miles east of Star. From the intersection of Highway 44 and Highway 16, go north on Highway 16 for ±500 feet to the station located on the east side of the road at a pullout. The station is a rebar with a 2 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 149, set flush. It is 59.1 feet southeast of a sign on two posts and 67.5 feet northwest of a fiber optic warning sign.




150      2 miles southeast of Star. From Highway 20, go north on Pollard Lane for 0.40 mile to Joplin Road. Turn left and go 0.19 mile to the west side of a bridge and dirt road right. Turn right and go 1.00 mile east and then north, passing by a house and going to a hay barn. Continue north 0.15 mile to a long ditch. Turn right along south side of ditch and go 0.23 mile to end of ditch. Turn left and follow Track Road north across the stream to an open area with a 10 foot by 10 foot steel feeder structure surrounded by cattle feed boxes, a distance of 0.14 mile. The station is a rebar with a 2 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 150, set flush. It is located 140° true, 195 feet from the steel structure. From the feeder that is 320° true, 143 feet from steel structure, the station is 312° true, 56.0 feet from the northeast corner. From the northwest corner go 330° true, 49.9 feet. From the northeast corner of the feeder that lies 130° true, 165 feet from the steel structure, go 5° true, 50.5 feet to the station.

Reference  
Mark ID  
Number

Description


- 151 ±5 miles northwest of Meridian. From Highway 20 and North Blackcat Road, go north on Blackcat Road to first canal. Go west along north side of canal for approximately 500 feet. The station is located on the northwest side of the road. The station is a rebar with Towill 2 1/2 inch aluminum cap stamped, Towill, Inc. Concord CA, 151, set flush. It is 27.3 feet northwest of a wood fence post and 19.5 feet northeast of a 36 inch corrugated metal pipe.



Reference  
Mark ID  
Number

Description

- 152 From Highway 44 in the town of Star, go north on North Star Road for 0.9 mile to West Floating Feather Road. Turn right, east, and go 0.25 mile to North Brandon Road. Turn left and go north for 0.6 mile to the station in the centerline of the road. The station is a rebar with a 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 152, set flush. The station is located 83.5 feet north of a telephone pole on the west side of the road. It is 233.7 feet south of a mailbox for No.2689, Brandon Road. 117.1 feet south of a round wooden corner fence post on the east side of the road. 233.7 feet north of a 2 foot by 2 foot concrete box on the east side of the road.
- 153 ±1 mile north of Star. Located at the southwest corner of a T-intersection of North Star Road and West Floating Feather Road. The station is a rebar with Towill cap stamped, Towill, Inc. Concord CA, 153, set flush. It is 11.4 feet northeast of a wood fence post and 67.4 feet west of a stop sign.



Reference  
Mark ID  
Number

Description

- 154 In the town of Star. The station is located in the centerline of Second Street, between North Star Road and Union. It is  $\pm 300$  feet west of Star Road. The station is a rebar with 1 1/2 inch Towill aluminum cap stamped, Towill, Inc. Concord CA, 154, set flush. 141.5 feet southwest of a 20 m.p.h. speed limit sign. 48.8 feet northwest of a fence corner. 15.8 feet north of a manhole and 7.0 feet south of the north edge of the pavement.

